



June 2020 - Newcastle Grain Terminal Monitoring Summary Report

The following Newcastle Grain Terminal monthly monitoring summary report has been prepared by GrainCorp in accordance with Section 66 of the *Pollution of the Environment Operations Act 1997*. Monitoring data shared with the public on the website includes that collected as part of the Environmental Protection Licence (EPL) for the Newcastle Grain Terminal site. Monthly monitoring summaries are completed on the last day of any given month for the data collected.

Report contents

Section A. Map of Newcastle Grain Terminal and the location of sampling points as per the Environmental Protection Licence

Section B. Newcastle Grain Terminal fumigation emissions monitoring (Sampling Point 2)

Monitoring triggered in this period and summarised in report?	<input type="checkbox"/> Yes see Section B	<input checked="" type="checkbox"/> No has not been included in report
---	---	---

Site details

EPL Number	1296
Licensee Name	GrainCorp Operations Limited
Address	Newcastle Grain Terminal
EPL Public Register Link	https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=1296&id=1296&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued

Technical Reviewer

M. Kennedy
Name

16/07/2020
Date

Date published to website

16/07/2020
Date

A. Sampling points as per EPL - Newcastle Grain Terminal



Map 2. Carrington Grain Terminal

- Point 1 – Exhaust stack (dust baghouse)
- Point 2 – Exhaust stack (fumigation)
- Point 3 – Exhaust stack (dust baghouse)
- Point 4 TEOM – Tapered Element Oscillating Microbalance (particulate monitoring)
- Point 5 TEOM – Tapered Element Oscillating Microbalance (particulate monitoring)

Environment Protection licence (EPL) Monitoring Locations

Point	Location at Newcastle Grain Terminal
2	Discharge from the vent stack fumigation chamber located at the northern-most grain silos

B. GrainCorp - Newcastle fumigant ventilation monitoring data summary: June 2020

All air monitoring has been conducted in accordance with the methodology prescribed or a methodology approved in writing with NSW EPA.

Monitoring frequency: Continuous during every ventilation

No. of ventilation events during month: 0

Sampling date (start of ventilation event) and silo number	Pollutant (discharged to air)	Sampler (fumigator)	Result		Limit	Units of measure	Monitoring point location	Exceedance (yes/no)
			Min. value	Max. value	100 percentile (allowable)			
No methyl bromide ventilation events during June	<i>Scenario 1</i>							
	Methyl bromide	-	-	-	10	grams per cubic meter	-	-
	Volumetric flow rate	-	-	-	0.494	meters cubed/ second	-	-
	<i>Scenario 2</i>							
	Methyl bromide	-	-	-	19.4	grams per cubic meter	-	-
	Volumetric flow rate	-	-	-	0.17	meters cubed/ second	-	-
No phosphine ventilation events during June	Phosphine	-	-	-	73	parts per million	-	-

MONITORING NOTES:

Scenario 1 is defined as having a fumigation concentration of 10 grams per cubic meter and a one hour initial ventilation period

Scenario 2 is defined as having a fumigation concentration of 19.4 grams per cubic meter and a three hour initial ventilation period